Amendments to the Claim:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1-51 (Cancelled).
- 52. (Previously Presented) An apparatus for selecting a subpopulation of spermatozoa, comprising:
- (a) a culture chamber having at least one first compartment, at least one second compartment and a passage enabling spermatozoa access between the at least one first compartment and the at least one second compartment; and,
- (b) means for generating a discrete or continuous temperature gradient between the at least one first compartment and the at least one second compartment such that the temperature in said at least one first compartment is lower than the temperature in said at least one second compartment.
- 53. (Previously Presented) The apparatus according to claim 52, wherein the culture chamber is adapted for containing culture medium suitable for maintaining the motility of mammalian spermatozoa.
- 54. (Previously Presented) The apparatus according to claim 52, the passage further comprising a matrix between the at least one first compartment and the at least one second compartment.
- 55. (Previously Presented) The apparatus according to claim 54, wherein the matrix is selectively permeable to spermatozoa.
- 56. (Previously Presented) The apparatus according to claim 55, wherein the matrix comprises a material selected from the group consisting of: a biocompatible gel, fibrin

substrate, silicon, carbon blocks or fibers, polysaccharides and collagen.

- 57. (Previously Presented) The apparatus according to claim 52, wherein the culture chamber comprises a biocompatible material selected from the group consisting of: glass, polycarbonate, polyethylene, polyurethane, ethylene-vinylacetate copolymer and polyolefins.
- 58. (Previously Presented) The apparatus according to claim 52, wherein the culture chamber is sterile or aseptic.
- 59. (Previously Presented) The apparatus according to claim 52, further comprising means for monitoring sperm motility.
- 60. (Previously Presented) The apparatus according to claim 52, wherein the culture chamber is disposable.
- 61. (Previously Presented) The apparatus according to claim 52, wherein the temperatures within the temperature gradient are suitable for maintaining sperm viability and the difference between the highest and the lowest temperatures of the temperature gradient is between 0.05°C to 20°C.
- 62. (Previously Presented) A system for generating a subpopulation of spermatozoa enriched for capacitated spermatozoa, comprising the apparatus of claim 52 and further comprising means for retrieving spermatozoa from said at least one second compartment.
- 63. (Previously Presented) The system according to claim 62, further adapted for employing semen washing.
- 64. (Withdrawn Currently Amended) A method for generating a subpopulation of spermatozoa enriched with capacitated spermatozoa, comprising:
- (a) providing a population of spermatozoa in at least one first—site compartment of the apparatus of claim 52;
- (b) exposing the population of (a) to a discrete or continuous temperature gradient induced between the at least

one first <u>site</u> <u>compartment</u> and at least one second<u>site</u> <u>compartment</u>, wherein the temperature at the at least one first <u>site</u> <u>compartment</u> is lower than the temperature at the at least one second<u>site</u> <u>compartment</u>;

- (c) obtaining a subpopulation of spermatozoa enriched with capacitated spermatozoa from the at least one second—site_compartment; and, optionally,
- (d) repeating step (b) at least once, with the population obtained in (c).
- 65. (Withdrawn Currently Amended) The method according to claim 64, wherein step (b) further comprises monitoring sperm motility from the at least one first site compartment to the at least one second—site compartment.
- 66. (Withdrawn) The method according to claim 64, wherein the population of spermatozoa comprises non-human mammalian spermatozoa.
- 67. (Withdrawn) The method according to claim 64, wherein the population of spermatozoa comprises human spermatozoa.
- 68. (Withdrawn Currently Amended) The method according to claim 64, wherein the temperatures within the temperature gradient are suitable for maintaining sperm viability and the difference between the highest and the lowest temperatures of the temperature gradient is no-between 0.05°C to 20°C.
- 69. (Withdrawn Currently Amended) The method according to claim 64, further comprising retrieving a population of spermatozoa after step (b) from the at least one second—site_compartment.
- 70. (Withdrawn) The method according to claim 69, wherein the retrieved spermatozoa is utilized for a fertility treatment.
- 71. (Withdrawn) The method according to claim 70, wherein the fertility treatment is selected from the group consisting of: artificial insemination, intrauterine insemination (IUI),

intracytoplasmic sperm injection (ICSI), in vitro fertilization (IVF), micromanipulation IVF and intra-vaginal fertilization.

- 72. (Withdrawn) The method according to claim 64, further comprising semen washing prior to step (a).
- 73. (Withdrawn Currently Amended) An assay for evaluating sperm quality in a population of spermatozoa, comprising:
- (a) providing a population of spermatozoa in a first sitecompartment of the apparatus of claim 52;
- (b) exposing the population of (a) to a discrete or continuous temperature gradient induced between the first site compartment and at least one second—site compartment, such that the temperature at the at least one second site—compartment is higher than at said first—site compartment; and,
- (c) evaluating the percentage of spermatozoa within the population accumulated at the second <u>site</u> <u>compartment</u> of (b) in comparison to a standard sperm population, wherein the percentage of spermatozoa migrating along the temperature gradient between said first <u>site</u> <u>compartment</u> and the at least one second <u>site</u> <u>compartment</u> is a measure of sperm quality.
- 74. (Withdrawn) The assay according to claim 73, wherein the population of spermatozoa comprises mammalian spermatozoa.
- 75. (Withdrawn) The assay according to claim 74, wherein the population of spermatozoa comprises human spermatozoa.
- 76. (Withdrawn) The assay according to claim 73, wherein the temperatures within the temperature gradient are suitable for maintaining sperm viability and the difference between the highest and the lowest temperatures of the temperature gradient is between 0.05°C to 20°C.